

# Go on NetBSD (and pkgsrc!)

A modern systems programming language


23 March 2013

Benny Siegert

Google Switzerland; The NetBSD Foundation

## Agenda

- What is Go?
- Building Go code with the go tool
- Running Go code
- pkgsrc
- Conclusion



**What is Go?**

## A modern systems programming language

Initially developed at Google, open source since 2009.

Initial implementation by Rob Pike, Robert Griesemer, Russ Cox, Ken Thompson.

- compiled
- mostly statically typed
- garbage collected
- provides control over memory layout
- provides access to C APIs (via cgo) and syscalls

Go has powerful concurrency primitives.

**Go is:**

**Simple:** concepts are easy to understand

- (the implementation might still be sophisticated)

**Orthogonal:** concepts mix clearly

- easy to understand and predict what happens

**Succinct:** no need to predeclare every intention

**Safe:** misbehavior should be detected

These combine to give expressiveness.

(Source: R. Pike, The Expressiveness of Go (2010),

<http://talks.golang.org/2010/ExpressivenessOfGo-2010.pdf> (<http://talks.golang.org/2010/ExpressivenessOfGo-2010.pdf>)

## Clean

The language is defined by a short and readable **specification**. Read it.

- implemented by two compilers: gc and gccgo (gcc frontend).

The APIs in the standard library are well thought out, contrary to the "bureaucracy" of C++ or Java:

```
foo::Foo *myFoo = new foo::Foo(foo::FOO_INIT)
```

- but in the original Foo was a longer word

The standard library has "batteries included".

The code has a **standard formatting**, enforced by gofmt.

No more discussions about braces and indentation!

# Hello World

```
package main

import "fmt"

func main() {
    fmt.Println("Hello World!")
}
```

Run

All code lives in a package (package main is a command).

Semicolons are inserted automatically.

- Opening brace for functions must go on the same line.

Strings are UTF-8, built-in string data type.

## Another Hello World

```
package main

import (
    "flag"
    "fmt"
    "net/http"
)

var addr *string = flag.String("addr", ":8080", "host:port to listen on")

func main() {
    flag.Parse()

    http.HandleFunc("/", func(w http.ResponseWriter, r *http.Request) {
        fmt.Fprintln(w, "Hello World!")
    })

    http.ListenAndServe(*addr, nil)
}
```

Run

net/http is not a toy web server! It powers e.g. dl.google.com.

## Basic data structures: slices and maps

Slices are a form of dynamic arrays.

```
a := []int{1, 2, 3, 4} // len(a) = 4, cap(a) = 4
b := a[2:4]           // b[0] = 3, b[1] = 4

b = append(b, 5) // b[2] = 5
_ = b[3]         // out-of-bounds access
```

Run

Strings are immutable; they can be converted to []byte or []rune.

Type-safe hashtables (maps) are built-in.

```
translations := make(map[string]string)
translations["Hello"] = "Bonjour"
```

## Object orientation

Objects in Go do not work like they do in C++.

No inheritance, no polymorphy.

They are more similar to objects in Perl 5.

You start from a basic type (struct, int, string, ...) and add methods.

```
package foo

type Number int

func (n Number) Square() Number {
    return n * n
}
```

Methods have a receiver before the name (often a pointer).

# Table-driven testing

```
package foo

import "testing"

var squareTests = []struct {
    num, square Number
}{
    {1, 1},
    {2, 4},
    {256, 65536},
    {-10, 100},
}

func TestSquare(t *testing.T) {
    for _, test := range squareTests {
        actual := test.num.Square()
        if actual != test.square {
            t.Errorf("Square() of %v: got %v, want %v",
                test.num, actual, test.square)
        }
    }
}
```

## Table-driven tests (2)

Here is the test run:

```
$ go test
PASS
ok      github.com/bsiegert/talks/go-netbsd/object    0.004s
```

If I deliberately insert a mistake:

```
$ go test
--- FAIL: TestSquare (0.00 seconds)
object_test.go:21:      Square() of -10: got 100, want -100
FAIL
exit status 1
FAIL    github.com/bsiegert/talks/go-netbsd/object    0.004s
```

Finally, useful diagnostics!

# Interfaces

Interfaces work on methods, not on data.

```
type Reader interface {
    Read(p []byte) (n int, err error)
}

type Writer interface {
    Write(p []byte) (n int, err error)
}

type ReadWriter interface {
    Reader
    Writer
}
```

Any type that implements these methods fulfills the interface *implicitly* (i.e. no "implements" declarations).

Use the interface instead of a concrete type, e.g. in a function:

```
func Fprintf(w io.Writer, format string, a ...interface{}) (n int, err error)
```

## Concurrency: goroutines

A goroutine is a sort of lightweight thread. It runs in the same address space, concurrently and independent from the other goroutines.

```
f("Hello World") // f runs; we wait  
  
go f("Hello World") // execution continues while f is running
```

They are much cheaper than threads, you can have thousands of them.

If one goroutine blocks (e.g. on I/O), the others continue to run.

This is easier to reason about than I/O with callbacks, as in node.js.

Maximum number of goroutines running in parallel is configurable (e.g. one per core).

## Concurrency: channels

Channels are type-safe "pipes" to transfer data between goroutines.

**"Don't communicate by sharing memory – share memory by communicating."**

They are also a synchronization point.

```
timer := make(chan bool)
go func() {
    time.Sleep(deltaT)
    timer <- true
}()
// Do something else; when ready, receive.
// Receive will block until timer delivers.
<-timer
```

Easily implement worker pools, parallelize computations, etc.

More information: R. Pike, "Concurrency is not parallelism",

<http://talks.golang.org/2012/waza.slide> (<http://talks.golang.org/2012/waza.slide>).

## "Self-documenting" code: godoc

godoc extracts and generates documentation for Go programs, using comments in the source code.

```
// Package strings implements simple functions to manipulate strings.
package strings

// Count counts the number of non-overlapping instances of sep in s.
func Count(s, sep string) int {
    // ...
}
```

<http://golang.org> (<http://golang.org>) runs godoc on Google App Engine.

`godoc -http=:6060` runs the server locally.

`godoc foo` shows the documentation on the console (similar to a manpage).

Commands often have a `doc.go` containing only documentation.

# Building Code With the go Tool

## GOROOT and GOPATH

The default build tool is called go. It uses \$GOROOT and \$GOPATH.

- **GOROOT** contains the standard Go tree (source + compiled form).
- **GOPATH** is a colon-separated list of "user paths". It *must* be set by the developer.

Even after building, the source code is needed for godoc and for building dependent packages.

# GOPATH example

GOPATH=/home/user/gocode

```
/home/user/gocode/  
  src/  
    myproject/  
      foo/      (go code in package foo)  
        x.go  
      server/  (go code in package main)  
        y.go  
  bin/  
    server      (installed command)  
  pkg/  
    netbsd_amd64/  
      myproject/  
        foo.a  (installed package object)
```

## Conventions for remote repos

```
package main

import (
    "code.google.com/p/go.image/tiff"
    "github.com/matttn/go-gtk"
    "launchpad.net/goamz/ec2"
)
```

Import path == URL (more or less). Supports free hosters and custom remote repositories.

`go get github.com/user/repo/package` installs these dependencies (if you have git, hg, bzd installed).

- fetch, build, install
- supports recursive fetching of dependencies

**Running Go code**

## A word on compilers

The **gc suite** is the most often used compiler suite. It compiles insanely fast.

- supports i386, amd64, arm
- Linux, FreeBSD, OpenBSD, NetBSD, Windows
- easy to cross-compile for other platforms

**gccgo** is a Go frontend for gcc, included in gcc 4.7.x.

- supports all platforms gcc supports
- better optimizations
- may not have the latest standard libraries
- has fewer users

## Go packages

All Go code lives in a package.

Compiling a package main produces an executable binary.

Other packages are compiled to static libraries (.a files).

- contain code **and** the exported interface
- contain all dependencies
- .a files from different compilers (and different compiler versions) are incompatible.


## Running a server written in Go

Currently, Go programs cannot daemonize, so they run in the foreground.

- daemonize is hard to implement

My suggestion: run it under daemontools (sysutils/daemontools)

- log on stdout, collect logs with multilog



## Daemontools example: continuous builder

/service/builder/run contains:

```
#!/bin/sh
exec 2>&1
exec setuidgid builder envdir env /service/builder/builder -commit netbsd-amd64-bsiegert
```

/service/builder/env/HOME contains:

```
/home/builder
```

/service/builder/log/run contains:

```
#!/bin/sh
exec setuidgid buildlog multilog ./main
```

Just copy the executable to /service/builder/builder, done!

pkgsrc

## wip/go

Go is available in pkgsrc-wip as wip/go.

It installs source + binaries to \$PREFIX/go.

The package supports

- NetBSD
- Linux
- OpenBSD (untested)
- Mac OS X (currently broken)

on i386 and x86\_64.

NetBSD support is not in a stable release yet. (Go 1.1 will have it.)

## pkgsrc and software written in Go

Two cases: **libraries** and **executables**.

**Executables** are easy, as they are statically linked.

- may link dynamically against C libraries
- no *runtime* dependencies to Go libs
- need source (or part of it) for godoc

## Libraries

Libraries have to be recompiled each time you upgrade the Go compiler.

- similar to OCaml
- make binary packages depend on the exact compiler version
- recursive revbump when compiler is updated

We will need a `go/package.mk`.

Due to the way GOPATH work, adding `buildlink` should be easy

- symlinks
- or: install each library in a distinct path, add its directory to the GOPATH used for the build from `buildlink3.mk`.

**Conclusion**

## Conclusion

### Try Go!

It may not look very revolutionary on first glance, but it is addictive.

Try Go on NetBSD.

Try `wip/go` and report any problems.



# Thank you

Benny Siegert  
Google Switzerland; The NetBSD Foundation

<mailto:bsiegert@google.com>

<mailto:bsiegert@netbsd.org>

<http://www.mirbsd.org/wlog-10.htm>